



UNITED STATES PATENT AND TRADEMARK OFFICE

BEST AVAILABLE COPY

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/511,949

10/21/2004

Michael Habele

3129

8788

7590

03/09/2006

Striker Striker & Stenby
103 East Neck Road
Huntington, NY 11743

EXAMINER

PRESTON, ERIK D

ART UNIT

PAPER NUMBER

2834

DATE MAILED: 03/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

H.A

Office Action Summary

Application No.

10/511,949

Applicant(s)

HABELE, MICHAEL

Examiner

Erik D. Preston

Art Unit

2834

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 January 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

Applicant's arguments, see Appeal Brief, filed 1/17/2006, with respect to the rejection(s) of claim(s) 1-11 under Habele et al. have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Habele et al. in view of Bignon.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-5,7 & 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Habele et al. (WO 00/39912 supplied by applicant) in view of Bignon (FR 1098914 supplied by applicant).

With respect to claim 1, Habele teaches a braking device for an electric motor (Fig. 1, #10) comprising: A rotor (Fig. 1, #12) and a stator (Fig. 1, #11); a brake element (Fig. 1, #23) which is movable between a braking position and an operating position, wherein a brake shoe (Fig. 1, #31) which brakes the rotor in the braking position is mounted on the brake element, but it does not teach the electric motor being a direct current series wound motor, or that the brake shoe is located on the brake element on a trailing end relative to the direction of rotation of the rotor. However, direct current series wound motors were well known in the art at the time of the invention, and Bignon teaches a brake shoe located on a brake element on a trailing end relative to the direction of

Art Unit: 2834

rotor (as seen in Fig. 2). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the motor of Habele in view of a series wound DC motor because they have a high starting torque, and it also would have been obvious to one of ordinary skill in the art at the time of the invention modify the brake of Habele in view of the brake of Bignon since it provides a means for obtaining the maximum power of braking (Bignon, Last paragraph on page 4). It also would have been obvious to one of ordinary skill in the art at the time of the invention to flip the positions of the brake element of Habele (such as is taught by FR 1098914 & DE 2263475) since it has been held that changing the position of an element of an invention is prima facie obvious in the absence of new or unexpected results (In re Japikse, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950)).

With respect to claim 2, Habele in view of Bignon teaches the braking device of claim 1, and Habele teaches that the brake element has a brake arm (Fig. 1, #29) on the trailing end that carries the brake shoe, and has a disengagement arm (Fig. 1, #30) on a leading end.

With respect to claim 3, Habele in view of Bignon teaches the braking device of claim 1, and Habele teaches that the stator has a yoke part (Fig. 1, #13) of a magnetically conductive material on a leading end and has a stator winding (Fig. 1, #14).

With respect to claim 4, Habele in view of Bignon teaches the braking device of claim 3, and Habele teaches that the brake element is magnetically conductive, and together with the yoke part on the leading end, encloses a motor air gap (Fig. 1, #32)

with the rotor that in the braking position, on the leading end has an essentially constant gap width.

With respect to claim 5, Habele in view of Bignon teaches the braking device of claim 3, and Habele teaches that between the yoke part and the leading end of the disengagement arm of the brake element there is an air gap, and in the yoke part on the leading end, between the stator winding and the air gap from the disengagement arm of the brake element there is a constriction which forms a magnetic resistor in the yoke part on the leading end (as seen in Fig. 1).

With respect to claim 7, Habele in view of Bignon teaches the braking device of claim 1, and Habele teaches a bearing pin (Fig. 1, #27) for supporting the brake element, the bearing pin being supported in a fixed bearing point by a positive-engagement that is secure against relative rotation.

With respect to claim 9, Habele in view of Bignon teaches the braking device of claim 1, and Habele teaches that the brake element is prestressed in the direction of the braking position by a compression spring (Fig. 1, #34), but it does not teach that a guide spur for the compression spring that protrudes into the compression spring is disposed on the brake element. However, guide spurs were well known in the art at the time of the invention. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the brake element of Habele in view of a guide spur because they can be used to hold springs firmly in a desired location.

With respect to claim 10, Habele in view of Bignon teaches the braking device of claim 1, and Habele teaches an electric motor.

With respect to claim 11, Habele in view of Bignon teaches the braking device of claim 10, and Habele teaches a machine tool.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Habele et al. (WO 00/39912) in view of Bignon (FR 1098914 supplied by applicant) further in view of Nitta et al. (US 6265804). Habele in view of Bignon teaches the braking device of claim 1, and Habele teaches that the yoke is disposed axially relative to a pivot axis (Fig. 1, #28), but it does not teach the brake element, the yoke part on the leading end, or another yoke part on the trailing end having a plurality of lamination packets, which comprise a plurality of electrical laminations. However, Nitta teaches a yoke part (Fig. 1) having a plurality of lamination packets, which comprise a plurality of electrical laminations that are disposed axially. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the yoke part of Habele in view of the yoke part as taught by Nitta because it restrains the unbalancing in the magnetic attractive forces acting in the core while also reducing vibration, noise, and iron losses (Col. 1, Lines 41-49).

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Habele et al. (WO 00/39912) in view of Bignon (FR 1098914 supplied by applicant) further in view of Guenther et al. (US 6326710). Habele in view of Bignon teaches the braking device of claim 1, but it does not teach that the breaking element, in the breaking position, rests on the trailing end of a fixed stop face, and that the stop face has a predetermined angle of inclination relative to a radial direction, in order to attain a self-clamping of the brake element. However, Guenther teaches an integral braking element (Fig. 2, #22) resting

Art Unit: 2834

on the trailing end of a fixed (to a rotor shaft) stop face (Fig. 2, #30), and that the stop face has a predetermined angle of inclination relative to a radial direction, in order to attain a self-clamping of the brake element. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the brake element of Habele in view of the brake element as taught by Guenther because it reduces run-down times in electrical tools, without requiring any additional installation space (Guenther, Col. 1, Lines 21-53).


Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erik D. Preston whose telephone number is (571)272-8393. The examiner can normally be reached on Monday through Friday 8-5.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571)272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



03/01/2006



25
SUPERVISOR/PAIR EXAMINER

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.